

Math 218D: Week 10 Discussion

STUDY COPY

November 2, 2023

Problem 1. Calculate $\begin{vmatrix} 1 & -9 & 3 & -8 \\ 9 & -81 & 27 & -70 \\ -5 & 45 & -14 & 29 \\ -7 & 60 & -16 & 52 \end{vmatrix}$.

Problem 2. Consider the following matrix factorization

$$\begin{matrix} P & A & L & U \\ \begin{bmatrix} 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix} & \begin{bmatrix} 0 & -1 & -1 & 1 & 6 \\ -1 & -4 & 1 & -1 & -4 \\ -2 & -10 & 0 & 2 & -1 \\ 8 & 3 & 1 & -2 & -3 \\ 3 & -1 & 0 & 1 & 1 \end{bmatrix} & = & \begin{bmatrix} 1 & 0 & 0 & 0 & 0 \\ -1/4 & 1 & 0 & 0 & 0 \\ -1/8 & 29/74 & 1 & 0 & 0 \\ 0 & 4/37 & -1 & 1 & 0 \\ 3/8 & 17/74 & -8/19 & -12/19 & 1 \end{bmatrix} & \begin{bmatrix} 8 & 3 & 1 & -2 & -3 \\ 0 & -37/4 & 1/4 & 3/2 & -7/4 \\ 0 & 0 & 38/37 & -68/37 & -273/74 \\ 0 & 0 & 0 & -1 & 5/2 \\ 0 & 0 & 0 & 0 & 97/38 \end{bmatrix} \end{matrix}$$

Calculate $\det(A)$.

Problem 3. For $n \times n$ matrices A and B , $\det(A^T) =$ _____ and $\det(AB) =$ _____.

Problem 4. If possible, find 3×3 matrices A and B satisfying $\det(A + B) \neq \det(A) + \det(B)$. If this is not possible, then explain why.

Problem 5. The (i, j) minor of A is $M_{ij} =$ _____ and the (i, j) cofactor is $C_{ij} =$ _____.

Problem 6. Suppose that $\det(A) = 35$ and that each (i, j) minor of A is the (i, j) entry of $M = \begin{bmatrix} -45 & -9 & -41 & 5 \\ -10 & 5 & 15 & 5 \\ 45 & 16 & 34 & -5 \\ -10 & -2 & -13 & 5 \end{bmatrix}$.

(a) Find the cofactor matrix C of A and the adjugate matrix $\text{adj}(A)$.

(b) Find three independent vectors orthogonal to the first column of A .

(c) Solve $A\mathbf{x} = \mathbf{b}$ for $\mathbf{b} = [0 \ 7 \ 0 \ 0]^T$.

Problem 7. Suppose that λ is an eigenvalue of an $n \times n$ matrix A . Then $\det(\lambda \cdot I_n - A) = \underline{\hspace{2cm}}$.

Math 218D: Week 11 Discussion

STUDY COPY

November 9, 2023

Problem 1. The reciprocal of $z = 7 - 9i$ is $1/z = \underline{\hspace{2cm}} + \underline{\hspace{2cm}}i$.

Problem 2. Consider the vectors $\mathbf{v} = [1 + i \quad 5]^\top$ and $\mathbf{w} = [1 - 3i \quad 2 + i]^\top$ and the matrix $A = \begin{bmatrix} 2 & 1+i \\ 0 & 1 \end{bmatrix} \begin{matrix} -1 \\ 3-2i \end{matrix}$.

(a) Calculate $\|\mathbf{v}\|$.

(b) Calculate $\langle \mathbf{v}, \mathbf{w} \rangle$.

(c) Calculate $A^*\mathbf{v}$.

Problem 3. We call a matrix A *Hermitian* if $\underline{\hspace{2cm}}$. We call A *unitary* if $\underline{\hspace{2cm}}$.

Problem 4. Suppose that H is Hermitian. Show that every diagonal entry of H is a real number.

Problem 5. Suppose that U is $n \times n$ unitary and that $\mathbf{v}, \mathbf{w} \in \mathbb{C}^n$. Show that $\langle U\mathbf{v}, U\mathbf{w} \rangle = \langle \mathbf{v}, \mathbf{w} \rangle$.

Problem 6. The polynomial

$$f(t) = t^4 - 2t^3 - t^2 + t - 14$$

has four distinct roots $r_1, r_2, r_3,$ and r_4 .

(a) $r_1 + r_2 + r_3 + r_4 =$ _____ and $r_1 r_2 r_3 r_4 =$ _____

(b) Calculate $(1 - r_1)(1 - r_2)(1 - r_3)(1 - r_4)$.

Problem 7. Let r_1 and r_2 be the roots of

$$f(t) = -9t^2 - 2t - 1$$

Calculate $r_1^2 + r_2^2$.

Hint. Consider $(r_1 + r_2)^2$.

Problem 8. Suppose that A is a matrix whose characteristic polynomial factors as

$$\chi_A(t) = (t - 11)^7(t - 13)^5(t - 14)^2$$

Calculate $\chi_M(3)$ where $M = A - 9I$.

Math 218D: Week 12 Discussion

STUDY COPY

November 16, 2023

Problem 1. Consider the equation

$$\begin{bmatrix} 18 & 10 & -5 & 0 \\ -10 & * & 8 & 5 \\ -6 & -28 & -14 & -14 \\ -11 & -30 & -11 & -10 \end{bmatrix}^A = \begin{bmatrix} 18 & 10 & -5 & 0 \\ -10 & * & 8 & 5 \\ -6 & -28 & -14 & -14 \\ -11 & -30 & -11 & -10 \end{bmatrix}^X \begin{bmatrix} -1 & * & -7 & -1 \\ 0 & 0 & * & * \\ -1 & 6 & -1 & -6 \\ * & * & 2 & -1 \end{bmatrix}^B \begin{bmatrix} 11 & 10 & 0 & 3 \\ * & -7 & * & -3 \\ -10 & * & * & -3 \\ 3 & 3 & * & * \end{bmatrix}^{X^{-1}}$$

where the entries marked * are unknown. Find the missing entry of A .

Problem 2. Suppose that A has eigenspaces given by

$$\mathcal{E}_A(7) = \text{Span}\{[1 \ 3 \ 0]^\top\} \quad \mathcal{E}_A(1) = \text{Span}\{[-2 \ -5 \ -5]^\top\} \quad \mathcal{E}_A(-1) = \text{Span}\{[-3 \ -7 \ -9]^\top\}$$

Calculate $A^{2021}\mathbf{v}$ for $\mathbf{v} = [0 \ -1 \ 3]^\top$.

Problem 3. Consider the factorization

$$\begin{bmatrix} -233 & 693 \\ -84 & 250 \end{bmatrix} = \begin{bmatrix} 3 & 11 \\ 1 & 4 \end{bmatrix} \begin{bmatrix} -2 & 0 \\ 0 & 19 \end{bmatrix} \begin{bmatrix} 3 & 11 \\ 1 & 4 \end{bmatrix}^{-1}$$

(a) $\det(A) =$ _____

(b) Find the solution $\mathbf{u}(t)$ to the initial value problem $d\mathbf{u}/dt = A\mathbf{u}$ with $\mathbf{u}(0) = [1 \ 0]^T$.

Problem 4. What is a spectral factorization? Which matrices have spectral factorizations?

Problem 5. Suppose S is a real-symmetric matrix whose eigenspaces are given by

$$\mathcal{E}_S(-3) = \text{Span}\{[1 \ -2 \ 0 \ 2]^T, [-1 \ -3 \ -2 \ 2]^T\} \quad \mathcal{E}_S(5) = \text{Span}\{[0 \ 2 \ -1 \ 2]^T\} \quad \mathcal{E}_S(9) = ?$$

Find a basis of $\mathcal{E}_S(9)$.